

Clutch

Use the values in the tables below to configure the **Clutch** payment provider/authorizer with the described settings.

Authorizer

(The procedures for accessing and configuring these settings are described in [Add an Authorizer.](#))

Parameter	Value	Comments
AUTHORIZER NAME	Clutch	Can be any meaningful value.
AUTHORIZER CODE	Clutch	This value should exactly match the provider/ authorizer Bean implementation. (Service Implementation Bean is a term used in Java Platform, Enterprise Edition, for a Java object implementing a Web service.) Do not change if you are not sure.
SITE URL Test: Production:	https://www.clutchloyalty.com/ https://www.clutchloyalty.com/	The field must be populated, but the value is not currently used. Any value is valid. Suggest using specified values for consistency/clarity.
LOGIN URL Test: Production:	https://api-test.profitpointinc.com:8417/v4/transaction https://api.profitpointinc.com:8417/v4/transaction	URL/SOAP Endpoint for payment processing.
CUSTOM URL1		Not used
START DATE	10/20/08	Effective date
END DATE		Ending date, as applicable. Can be empty.
STATUS	Active	Should be " Active " for the current provider. (Status of "New" is not recommended)

Authorization Info

(The procedures for accessing and configuring these settings are described in [Add Authorization Info.](#))

Parameter	Value	Comments
AUTHORIZER NAME	Clutch	Match the value in the Authorizer Name field in the Authorizer parameters.
AUTHORIZATION INFO CODE	Clutch	Any meaningful value
USER NAME	Unique for each merchant	Clutch Login user name
PASSWORD	*****	Clutch Login password
EXTERNAL MERCHANT ID		Not Used
TERMINALID		Not Used
PAYMENT CHANNEL BIN		Not Used
PAYMENT TOKENIZATION ENABLED	No	Tokenization is not supported. Must be " No "

DOES AUTHORIZER SUPPORT MULTIPLE CAPTURE AGAINST SINGLE AUTHORIZATION?	Yes	<i>Supports multiple captures against a single authorization. Must be "Yes"</i>
START DATE	11/17/15	<i>Effective date</i>
END DATE		<i>Ending date, as applicable. Can be empty.</i>
CURRENCIES	<i>By default, all available currencies are supported</i>	<i>Select from list of available currencies, as applicable. If empty, all currencies are considered to be supported.</i>
ITEM TYPES		<i>Select from list of available catalog item types. (Optional)</i> <i>With this parameter, authorizers can be set up to process payments using one or more specific catalog item types. Multiple authorization info configurations can be set up for one or more authorizers using different codes, each associated with a unique item type or item types. Order items can then be processed through the authorizer/authorizer code that is based on the item's corresponding type.</i> <i>Item types are defined in EDGE System Admin>Catalog>Item Types.</i>
PAYMENT TYPES	Gift Card	<i>Gift Card processing is supported. Must be selected.</i> <div style="border: 1px solid red; padding: 5px;">! Important: <i>When configuring Clutch for gift card support, if you want to allow refunds to the same gift card used for the original payment, (as described in System Admin>EDGE Setup>Merchants>Add Project>View/Edit Project Payment Types) contact Clutch customer support to request that "re-issuance" be enabled/allowed for this merchant.</i></div>
DISABLE FRAUD DETECTION FOR ORDER SOURCES		<i>Not used</i>
STATUS	Active	<i>Should be "Active" for the current provider. (Status of "New" is not recommended)</i>

Authorization Info Parameters

The following Authorization Info parameters need to be configured for Clutch.

(The procedures for accessing and configuring these settings are described in [Configure Authorization Info Parameters.](#))

Parameter	Default Value	Comments
InitiatorId	<i>Value provided by Clutch</i>	<i>Obtain value directly from Clutch.</i>
InitiatorPassword	<i>Value provided by Clutch</i>	<i>Obtain value directly from Clutch.</i>
LocationId	<i>Value provided by Clutch</i>	<i>Obtain value directly from Clutch.</i>
ClientId	<i>Value provided by Clutch</i>	<i>Obtain value directly from Clutch.</i>

TerminalId	<i>Value provided by Clutch</i>	<i>Obtain value directly from Clutch.</i>
CardSetId	<i>Value provided by Clutch</i>	<i>Set of gift cards to be used for online activation of new gift cards. Obtain value directly from Clutch.</i>
DoNotProcessTransaction	No	<p><i>Optional parameter.</i></p> <p><i>For payment transactions that are for reporting purposes only. When "Yes," third parties that manage their own payments can send full transaction details upon order import so that EDGE can track the payments in an Order Details page or Payment Transactions report without actually processing any payments.</i></p> <p><i>Valid values:</i></p> <ul style="list-style-type: none">• Yes - a payment transaction <i>WILL NOT</i> be processed• No (default value) - a payment transaction <i>WILL</i> be processed